## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-10 (Cancelled).

11. (Currently Amended) A method for the treatment of prostate cancer comprising: administering to a patient suffering from prostate cancer a sustained release formulation of a gonadotropin hormone releasing hormone composition capable of releasing the gonadotropin hormone releasing hormone composition for a period of at least about one month at an average rate between about 10 and 1,000 μg per day, and

simultaneously administering to the patient a sustained release formulation of an estrogenic composition under a profile comprising at least a first initial phase and a second phase, the release of the estrogenic composition in the course of said second phase being at a rate between about 10 and 100 mg µg of estradiol equivalent per day, the release of the estrogenic composition in the course of said first initial phase never exceeding 5 times the upper daily release of the estrogenic composition occurring during said second phase.

12. (Currently Amended) A method as in claim 9 11, wherein the gonadotropin hormone releasing hormone composition is selected from the group consisting of gonadotropin hormone releasing hormone, agonists of gonadotropin hormone releasing hormone, antagonists of gonadotropin hormone releasing hormone and mixtures thereof.

PORCHET et al Appl. No. 10/554,292 October 13, 2009

- 13. (Currently Amended) A method as in claim 9 11, wherein the gonadotropin hormone releasing hormone composition is a gonadotropin hormone releasing hormone agonist selected from the group consisting leuprorelin, goserelin, triptorelin, buserelin, nafarelin, deslorelin, histerelin, gonadorelin, and salts and mixtures thereof.
- 14. (Currently Amended) A method as in claim 9 11, wherein the estrogenic composition is selected from the group consisting of chlorotrianisene, dienestrol, diethylstilbestrol, diethylstilbestrol dipropionate, diethylstilbestrol monobenzyl ether, equilelinin, equilelinin sulfate, estetrol, estradiol, (3a,17b)-estr-4-ene-3,17-diol, estriol, estriol hemisuccinate, estrone, estrone sulfate monosodique, estrone potassium sulfate, ethinylestradiol, fosfestrol tetrasodique, hexestrol, hydroxyestrone diacetate, mestranol, pinestrol, piperazine estrone sulfate, promestriene, quinestrol, tamoxifen, toremifene, raloxifene, lasofoxifene and mixtures thereof.
- 15. (Currently Amended) A method as in claim 9 11, wherein the gonadotropin releasing hormone composition is triptorelin or a salt thereof and the estrogenic composition is estradiol.
- 16. (Original) A method according to claim 15, wherein triptorelin, or a triptorelin salt, is released at a rate of about 100 μg per day and estradiol is released at a rate between about 25 and 50 μg per day.
- 17. (Currently Amended) A method as in claim 9 11, wherein the composition is administered by a subcutaneous, intramuscular, or transdermal route.

18-25 (Cancelled).

26. (New) A method for the treatment of prostate cancer comprising:

administering to a patient suffering from prostate cancer a sustained release formulation of a gonadotropin hormone releasing hormone composition that releases the gonadotropin hormone releasing hormone composition for a period of at least about one month at an average rate between about 10 and 1,000 µg per day, and

simultaneously administering to the patient a sustained release formulation of an estrogenic composition under a profile comprising at least a first initial phase and a second phase, the release of the estrogenic composition in the course of said second phase being at a rate between about 10 and 100 µg of estradiol equivalent per day, the release of the estrogenic composition in the course of said first initial phase never exceeding 5 times the upper daily release of the estrogenic composition occurring during said second phase.